



Blank Labels

FOR THERMAL, LASER & DOT MATRIX PRINTERS





Shamrock's Mission

Our mission is to supply quality, innovative labeling systems to the healthcare industry that help protect patient safety, fulfill modern technological needs and remain cost effective.



Environmental Policy

It is Shamrock's policy to provide a safe and healthy workplace for our employees and to be an environmentally responsible neighbor in our community. From product manufacture through shipping, in both office and production facilities, Shamrock supports comprehensive programs designed to positively impact the safety of our population and natural resources.



Joint Commission National Patient Safety Goals

Sustained with Shamrock Labels

- Goal 1.** Improve the accuracy of patient identification.
- Goal 2.** Improve the effectiveness of communication among caregivers.
- Goal 3.** Accurately and completely reconcile medications across the continuum of care.
- Goal 7.** Reduce the risk of health care-associated infections.

Blank Labels for On-Demand Printing

BLANK THERMAL PRINTER LABELS

General Purpose	General Purpose Labels	BL-4
	Desktop Printer Labels	BL-8
	Mobile Printer Labels	BL-8
Laboratory	Cerner Millennium Pathnet	BL-9
	Cerner DHT	BL-13
	Cerner Citation & SCC Softlab	BL-14
	Sunquest Antrim	BL-14
	Sunquest/Misys	BL-15
	SMS	BL-17
	McKesson Horizon	BL-18
	Health Science Systems & HMS	BL-18
	Meditech, VA Hospital & CPSI	BL-19
Additional Software Labels	BL-20	
Blood Bank	ISBT 128 Software Labels	BL-22
	Piggyback Labels	BL-23
Pharmacy	Pharmacy Software Labels	BL-24
	Unit Dose Labels	BL-25
	Outpatient Label Forms	BL-25
Patient Charge	Piggyback Labels	BL-25
Materials & Supplies	Stock & Special Materials	BL-26
	Ribbons for Transfer Printers	BL-27

BLANK LASER PRINTER LABELS

General Purpose	General Purpose Laser Labels	BL-28
Laboratory	Microscope Slide Labels	BL-29
	Labels for Unique Conditions	BL-29
Pharmacy	Unit Dose Labels	BL-29
	Outpatient Forms	BL-29
Patient Charge	Piggyback & Single Ply Labels	BL-30
Materials	Stock & Special Materials	BL-31

BLANK INK JET PRINTER LABELS

General Purpose	Continuous Rolls & Materials	BL-31
------------------------	------------------------------	-------

BLANK DOT MATRIX PRINTER LABELS

General Purpose	General Purpose Labels	BL-32
Laboratory	Labels for Laboratory Software	BL-33
Pharmacy	Labels for Pharmacy Software	BL-37
	Unit Dose Labels	BL-37
Patient Charge	Piggyback Labels	BL-38
	Single Ply Labels	BL-38
Materials	Stock & Special Materials	BL-39



SHAMROCK SUPPLIES LABELS COMPATIBLE WITH ALL SOFTWARE PROGRAMS INCLUDING:

ASHP
Baxa™
BCMA
Cerner Citation
Cerner DHT
Cerner Etreby
Cerner Millennium® PathNet®
Cerner Millennium® PharmNet®
CHC
Citation
CPSI
Dynamic Control
Elekta/Impac
Health Science Systems
HMS
Liberty
McKesson Horizon
MEDITECH
Mediware
MedLab
Orchard
Pharmakon
Rx30
SCC Softlab
SMS
Sunquest Antrim
Sunquest/Misys
VA Hospital



SHAMROCK BLANK LABELS FOR ON-DEMAND PRINTING

Shamrock offers blank labels in a wide variety of sizes and formats for your Thermal, Laser, Inkjet and Dot Matrix on-site printing. Labels are available for use with any software, whether used in stand-alone departmental operations or interfaced with your facility's IT system. Stock labels feature top quality, latex free materials and glove friendly adhesives. Unique premium materials are available as well. See pages BL-26, BL-31 and BL-39 for further information.

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM

Blank Labels

FOR ON-DEMAND PRINTING

SHAMROCK STOCK BLANK LABELS FOR THERMAL, LASER, INKJET AND DOT MATRIX PRINTERS

Thermal Direct Labels for Printers with a Heated Printhead

Thermal Transfer Labels for Printers using a Ribbon for Printing

- Shamrock Thermal Labels are available for standard or IR scanning and may be supplied with sensor bars, holes or notches.
- Should your printer require a core size and/or number of labels per roll different from our stock, just let us know. Shamrock can supply labels to perfectly meet your requirements.

Laser Labels

- Shamrock Laser Labels, offered in a range of sizes to answer the labeling needs of every procedure in your facility, run trouble free through your printer.
- Stock label formats are supplied on 8¹/₂" x 11" sheets, custom configurations are available upon request.

Labels for Inkjet Printers

- Shamrock offers materials specially designed for trouble-free inkjet printing in black and white or color enhanced.
- Design your own labels to highlight important information, provide clean, crisp text and easily scanned bar codes.

Pinfed Labels for Dot Matrix Printers

- Shamrock Pinfed Labels won't jam in your dot matrix printer, offer a clear, easy-to-read imprint to facilitate communication.
- Special label materials are available.

SHAMROCK SUPPLIES BLANK LABELS FOR UNIQUE LABELING REQUIREMENTS

- Special materials that stand up to harsh temperature extremes and solvents.
- Labels tinted in whole or with color bars to highlight information. You choose from 31 stock colors.

Specialty Labels for Thermal Printers

All Shamrock Thermal Labels are available in materials for use with thermal direct printers using a heated printhead or for thermal transfer printers that require a ribbon for printing. Labels will be supplied on 3" cores, for thermal direct printing unless otherwise specified. See page BL-26 for information on both stock and special label materials that are available. If you need a label size or configuration not illustrated, please contact Shamrock. We can supply labels produced to your exact specifications.



Specialty General Purpose Thermal Labels

GENERAL PURPOSE THERMAL

THERM-100R $\frac{3}{8}'' \times 1\frac{1}{4}''$
THERM-366R $\frac{1}{2}'' \times \frac{3}{8}''$
THERM-487R $\frac{1}{2}'' \times 1\frac{1}{2}''$
THERM-504R $\frac{5}{8}'' \times \frac{7}{8}''$
THERM-521R $\frac{5}{8}'' \times \frac{7}{8}''$
THERM-448R $\frac{5}{8}'' \times 1''$
THERM-617R $\frac{5}{8}'' \times 1''$
THERM-547R $\frac{5}{8}'' \times 1\frac{11}{16}''$
THERM-643R $\frac{5}{8}'' \times 2\frac{1}{2}''$
THERM-425R $\frac{5}{8}'' \times 2\frac{5}{8}''$
THERM-754R $\frac{5}{8}'' \times 3\frac{1}{4}''$
THERM-528R $\frac{5}{8}'' \times 4''$
THERM-756R $1\frac{1}{4}'' \times 3\frac{1}{2}''$
THERM-305R $\frac{3}{4}'' \times \frac{3}{4}''$
THERM-566R $\frac{3}{4}'' \times 1\frac{1}{2}''$
THERM-520R $\frac{3}{4}'' \times 2''$
THERM-364R $\frac{3}{4}'' \times 2\frac{1}{4}''$
THERM-486R $\frac{3}{4}'' \times 2\frac{1}{2}''$
THERM-755R $\frac{7}{8}'' \times 1\frac{1}{4}''$
THERM-628R $\frac{7}{8}'' \times 1\frac{1}{2}''$


See page BL-26 for information on stock & special thermal label materials available.

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104


TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM



Stock labels are white. Color may be added to your specifications.



Specialty General Purpose Thermal Labels



See page BL-26 for information on stock & special thermal label materials available.

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM




Stock labels are white. Color may be added to your specifications.

GENERAL PURPOSE THERMAL

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM


Specialty General Purpose Thermal Labels




See page BL-26 for information on stock & special thermal label materials available.

SPECIALTY THERMAL LABELS FOR MOBILE PRINTERS

For use with any hand held or belt style mobile printer, glove friendly labels produce clear imprints and crisp bar codes, won't fall off during use or storage. Contact Shamrock for other label sizes available.



THERM-760R-75
1 1/4" x 2" 3/4" Core
330 per roll




THERM-760R-75SB (sensor bars)
1 1/4" x 2" 3/4" Core
330 per roll

THERMAL LABELS FOR DESKTOP PRINTERS


Shamrock offers thermal labels for on-demand use with your small desktop printer. Labels are precisely designed for trouble free use in these specialized printers, producing clear, easy to read text and/or bar codes. Stock desktop printer labels feature direct thermal material and are supplied on a 1" core.




PRINTER-450-DO




THERM-2611R-DO
4" x 2 5/16"
250 per roll




THERM-2612R-DO
4" x 2 5/16"
250 per roll



THERM-1890R-DO
4" x 2 5/16"
250 per roll




THERM-1891R-DO
4" x 2 5/16"
250 per roll



THERM-1716R-DO
3 15/16" x 2 1/8"
220 per roll




THERM-1710R-DO
3 1/2" x 2"
300 per roll



THERM-1416R-DO
2 1/8" x 1"
500 per roll

THERM-1823R-DO
3 1/2" x 1 3/32"
350 per roll



THERM-1839R-DO
1 5/16" x 1 5/16"
THERM-1840R-DO
1" x 1"
750 per roll



THERM-1791R-DO
1 1/4" x 2 1/4"
1,000 per roll

Shamrock supplies thermal labels for tabletop im printers in a wide range of sizes and materials. Please call 800-323-0249 for complete information.

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM



Specialty Thermal Labels for the Laboratory

Cerner Millennium® PathNet®

THERM-396R $\frac{7}{8}'' \times 2''$

THERM-1221R $1\frac{1}{8}'' \times 2''$

THERM-12130PR $1\frac{5}{16}'' \times 1\frac{5}{16}''$ (4 up) White Opaque Polyester Material for use with Premium Wax/Resin Transfer Printer Ribbon

THERM-760R $1\frac{1}{4}'' \times 2''$

Stock labels are white. Color may be added to your specifications.

THERM-1222R $1\frac{1}{4}'' \times 2''$

THERM-550R $1\frac{3}{8}'' \times 8\frac{1}{2}''$

THERM-552R $1\frac{3}{4}'' \times 8\frac{1}{2}''$ ($1\frac{27}{32}''$ Repeat)

EVERY OTHER LABEL

THERM-553R $2\frac{1}{8}'' \times 8\frac{1}{2}''$

THERM-1294R $2\frac{3}{16}'' \times 2''$ White
THERM-1294R-2 $2\frac{3}{16}'' \times 2''$ Yellow (Perforations)

THERM-1295R $2\frac{3}{16}'' \times 2''$ White
THERM-1295R-2 $2\frac{3}{16}'' \times 2''$ Yellow (Die Cuts)

THERM-1157R $2\frac{3}{16}'' \times 4''$ (Die Cuts)



THERM-1296R $2\frac{3}{16}'' \times 4''$ (Perforations)

Horizontal slit in liner allows bottom portion of label to be affixed to tube without exposing adhesive on aliquot labels


LABORATORY THERMAL

Specialty Thermal Labels for the Laboratory

Cerner Millennium® PathNet®



See page BL-26 for information on stock & special thermal label materials available.




SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104


TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM




Cerner Millennium® PathNet®




THERM-782R 2 1/2" x 2 1/4"
(Die Cuts)



THERM-489R 2 1/2" x 2 1/4"
(Perforations)




THERM-785R 2 1/2" x 4"




THERM-783R 2 1/2" x 2 1/2"

Stock labels are white. Color may be added to your specifications.




THERM-343R 2 1/2" x 4"




THERM-787R 2 1/2" x 5 1/4"
(Perforations)

THERM-786R 2 1/2" x 5 1/4" (Die Cuts)




THERM-327R 2 1/2" x 8 1/2"
(Die Cuts)




THERM-344R 2 1/2" x 8 1/2"
(Perforations)

Specialty Thermal Labels for the Laboratory


Cerner Millennium® PathNet®




THERM-556R 2 1/2" x 8 1/2"




THERM-1303R 3" x 5" White
THERM-1303R-2 3" x 5" Yellow




THERM-623R 3 9/16" x 4"




THERM-571R 4 1/2" x 4"
THERM-1306R 4 1/2" x 4" Vertical perforation thru
liner 1/16" right of center




THERM-1307R 4 1/2" x 4"
THERM-1307R-Z 4 1/2" x 4" (1 1/2" Core for use with
Zebra printer)




THERM-1305R 4 1/2" x 4" White



4 1/2" x 4"
THERM-1305R-2 Yellow
THERM-1305R-4 Red
THERM-1305R-6 Blue
(With Highlight Bars)



4 1/2" x 4"
THERM-788R-2 Yellow
THERM-788R-4 Red
THERM-788R-6 Blue
(With Highlight Bars)




THERM-788R 4 1/2" x 4" White

See page BL-26
for information on
stock & special
thermal label
materials available.

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104


TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM

Cerner DHT




Stock labels are white. Color may be added to your specifications.

THERM-1453R 1 3/4" x 8 15/32"



THERM-1201R 4 7/8" x 3 9/32"


THERM-1455R 5 15/16" x 3 3/10"




THERM-1456R 7" x 2 3/8"

Specialty Thermal Labels for the Laboratory


Cerner Citation




THERM-513R 1" x 2"



THERM-775R 1" x 3 1/8"




THERM-1457R 1" x 3 1/8"




THERM-1225R 1 1/4" x 3 1/8"

SCC Softlab


See page BL-26 for information on stock & special thermal label materials available.




THERM-466R 1" x 2 1/2" (Non-IR Readable)
THERM-2R 1" x 2 1/2" (IR Readable)



THERM-1458R 1 3/8" x 3"




THERM-1458R-B4 1 3/8" x 3" Red Border



THERM-1458R-B2 1 3/8" x 3" Yellow Border

Sunquest Antrim



THERM-1460R 1 7/32" x 8 15/32"

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM




Sunquest/Misys



7/8" x 7/8"

THERM-1318R Thermal Direct
THERM-1318R-T Thermal Transfer
THERM-1318OPR Thermal Transfer Opaque Polyester, Xylene Resistant



1" x 2 1/4"


THERM-1319R-KT (1/8" gap between labels)
Thermal Transfer DuraStick Material for Cold Temperature Use



1 1/4" x 2"

THERM-760R


Stock labels are white. Color may be added to your specifications.



1 3/16" x 4 3/32"

(Non-IR Readable)
THERM-451R White
THERM-451R-2 Yellow


(IR Readable)
THERM-3R White
THERM-3R-2 Yellow



1 3/16" x 4 3/32"

(Non-IR Readable)
THERM-451R-B2 Yellow Border
THERM-451R-B3 Green Border
THERM-451R-B4 Red Border
THERM-451R-B6 Blue Border


(IR Readable)
THERM-3R-B2 Yellow Border
THERM-3R-B3 Green Border
THERM-3R-B4 Red Border
THERM-3R-B6 Blue Border



1 3/16" x 4 3/32" Core Size 1 1/2"

(Non-IR Readable)
THERM-1308R White
THERM-1308R-2 Yellow


(IR Readable)
THERM-15R White
THERM-15R-2 Yellow



1 3/16" x 4 3/32" Core Size 1 1/2"

(Non-IR Readable)
THERM-1308R-B2 Yellow Border
THERM-1308R-B3 Green Border
THERM-1308R-B4 Red Border
THERM-1308R-B6 Blue Border


(IR Readable)
THERM-15R-B2 Yellow Border
THERM-15R-B3 Green Border
THERM-15R-B4 Red Border
THERM-15R-B6 Blue Border



1 3/16" x 4 3/32" (w/Sensor Bar) Core Size 1 1/2"

(Non-IR Readable)
THERM-1308R-SB

(IR Readable)
THERM-15R-SB




1 5/16" x 3 1/16"

(Non-IR Readable)
THERM-1311R


(IR Readable)
THERM-1311R-IR

Specialty Thermal Labels for the Laboratory


Sunquest/Misys




1 7/16" x 3 5/8" (Die Cuts)
THERM-374R White THERM-374R-2 Yellow




1 7/16" x 3 5/8" (Die Cuts)
THERM-374R-B2 Yellow Border THERM-374R-B4 Red Border
THERM-374R-B3 Green Border THERM-374R-B6 Blue Border




1 7/16" x 3 5/8" (Perforations)
THERM-1309R White THERM-1309R-2 Yellow



1 7/16" x 3 5/8" (Perforations)
THERM-1309R-B2 Yellow Border THERM-1309R-B4 Red Border
THERM-1309R-B3 Green Border THERM-1309R-B6 Blue Border




1 7/16" x 3 1/4" (Die Cuts)
THERM-541R White THERM-541R-2 Yellow




1 7/16" x 3 1/4" (Die Cuts)
THERM-541R-B2 Yellow Border THERM-541R-B4 Red Border
THERM-541R-B3 Green Border THERM-541R-B6 Blue Border

See page BL-26 for information on stock & special thermal label materials available.



1 7/16" x 3 1/4" (Perforations)
THERM-1310R White THERM-1310R-2 Yellow




1 7/16" x 3 1/4" (Perforations)
THERM-1310R-B2 Yellow Border THERM-1310R-B4 Red Border
THERM-1310R-B3 Green Border THERM-1310R-B6 Blue Border

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104


TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM



Sunquest/Misys




THERM-1313R 2 3/8" x 2 1/16"
Core Size 1 1/2" or 3" – please specify




THERM-1873R 2" x 2"


Stock labels are white. Color may be added to your specifications.




THERM-1314R 5 1/4" x 2 5/8"
(1/4" gap between labels)
Core Size 1 1/2" or 3" – please specify



THERM-1315R 6 5/8" x 3/4"
(1/4" gap between labels) Core Size 1 1/2"




THERM-1316R 7 1/8" x 4"




THERM-1317R 7 1/8" x 4"


SMS




THERM-792R 6" x 4 1/4" (6 1/2" repeat) (Non-IR Readable)
THERM-7R 6" x 4 1/4" (6 1/2" repeat) (IR Readable)



THERM-1459R 3" x 8 15/32"




THERM-792R-4 6" x 4 1/4" (6 1/2" repeat) Red Borders
THERM-7R-4 6" x 4 1/4" (6 1/2" repeat) Red Borders




THERM-792R-3 6" x 4 1/4" (6 1/2" repeat) Green Borders
THERM-7R-3 6" x 4 1/4" (6 1/2" repeat) Green Borders

Specialty Thermal Labels for the Laboratory


McKesson Horizon




THERM-1212R 7/8" x 3 3/8"




THERM-304R 1 3/8" x 2 15/16"




THERM-1451R
1 7/16" x 4"



THERM-1451R-B5 1 7/16" x 4" Orange Border




THERM-1452R 6" x 4"



THERM-325R 1 3/16" x 3 15/16"


See page BL-26 for information on stock & special thermal label materials available.

Health Science Systems



THERM-1454R 3" x 4 1/8" (w/Sensor Bar)

HMS






THERM-1450R 5 1/2" x 4"


SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM

Meditech




THERM-478R-B4 1 1/4" x 4" (Non-IR Readable) Red Border
THERM-4R-B4 1 1/4" x 4" (IR Readable) Red Border
Labels also available with Yellow (B2), Green (B3)
or Blue (B6) Border




THERM-478R 1 1/4" x 4" (Non-IR Readable) White
THERM-4R 1 1/4" x 4" (IR Readable) White


VA Hospital




THERM-329R 4" x 2 3/8" (Non-IR Readable)
THERM-M-10R 4" x 2 3/8" (IR Readable)



THERM-1788R 4" x 3 3/8"






THERM-1807R 5 1/2" x 3 1/4"



THERM-1868R 5 1/2" x 3 1/4"


CPSI

See page BL-26
for information on
stock & special
thermal label
materials available.




Specialty Thermal Labels for the Laboratory

Additional Thermal Labels for Laboratory Software




THERM-315R 1" x 3½"




THERM-456R 1½" x 17/8"


Stock labels are white. Color may be added to your specifications.




THERM-776R 1¼" x 4"




THERM-314R 13/8" x 13/8"




THERM-777R 13/8" x 4"



THERM-779R 1½" x 3"



THERM-780R 1¾" x 31/16"




THERM-551R 1¾" x 87/16"

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104


TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM




Additional Thermal Labels for Laboratory Software




THERM-608R 1 31/32" x 2 1/2"




THERM-781R 2 1/8" x 4 1/8"




THERM-165R 2 3/8" x 5 3/8"




THERM-784R 2 1/2" x 4"




THERM-555R 2 1/2" x 7 1/2"




THERM-362R 2 3/4" x 2"




THERM-557R 2 3/4" x 8 1/2"




THERM-389R 3 3/4" x 1 1/2"



THERM-565R 4 13/16" x 4" (5" repeat)



THERM-789R 5" x 6 3/8"



THERM-791R 6" x 4"

See page BL-26 for information on stock & special thermal label materials available.

Specialty Thermal Labels for the Blood Bank




Shamrock Thermal Labels for the Blood Bank are designed in compliance with the *US Industry Consensus Standard for the Uniform Labeling of Blood and Blood Components Using ISBT 128*. They feature adhesive that is glove friendly and compositionally compliant with FDA 21 CFR 175.105. A statement of compliance is available from Shamrock upon request.

SINGLE PLY THERMAL LABELS

Shamrock offers labels in Thermal Direct and Thermal Transfer materials for general use and in Kimdura Thermal material, recommended for your more demanding procedures. Labels are supplied on Thermal Direct unless otherwise specified. To request Transfer material add the suffix -T to the basic catalog number. For Kimdura Transfer add the suffix -KT.

Shamrock ISBT 128 labels may be ordered with a vertical slit in liner to expose 1/2" strip of adhesive for labels' use on syringes.

Stock labels are white. Color may be added to your specifications.




SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM




PIGGYBACK THERMAL LABELS


Special construction “piggybacks” labels onto a pressure-sensitive carrier sheet. After printing, the carrier sheet is placed on the blood bag and individual labels are dispensed as needed. To meet the requirements of a variety of Blood Bank procedures, Shamrock offers Piggyback Labels in standard Thermal Transfer as well as special PolyFlex Transfer and Kimdura Transfer materials. All materials are compositionally compliant with FDA 21 CFR 175.105. Please call for ordering assistance.




2" x 4" 900 labels per roll
THERM-PB1808RT (Thermal Transfer)
THERM-PB1808RP (PolyFlex Transfer)
THERM-PB1808RKT (Kimdura Transfer)




3 1/8" x 4" 600 labels per roll
THERM-PB1814RT (Thermal Transfer)
THERM-PB1814RP (PolyFlex Transfer)
THERM-PB1814RKT (Kimdura Transfer)





6" x 4" 300 labels per roll
THERM-PB1801RT (Thermal Transfer)
THERM-PB1801RP (PolyFlex Transfer)
THERM-PB1801RKT (Kimdura Transfer)




3 1/4" x 4" 550 labels per roll
THERM-PB1816RT (Thermal Transfer)
THERM-PB1816RP (PolyFlex Transfer)
THERM-PB1816RKT (Kimdura Transfer)




4 1/2" x 3 3/4" 400 labels per roll
THERM-PB1711RT (Thermal Transfer)
THERM-PB1711RP (PolyFlex Transfer)
THERM-PB1711RKT (Kimdura Transfer)



7 3/16" x 4" 250 labels per roll
THERM-PB1815RT (Thermal Transfer)
THERM-PB1815RP (PolyFlex Transfer)
THERM-PB1815RKT (Kimdura Transfer)



5 3/4" x 3 3/4" 300 labels per roll
THERM-PB1810RT (Thermal Transfer)
THERM-PB1810RP (PolyFlex Transfer)
THERM-PB1810RKT (Kimdura Transfer)




2 5/8" x 4" 700 labels per roll
THERM-PB1787RT (Thermal Transfer)
THERM-PB1787RP (PolyFlex Transfer)
THERM-PB1787RKT (Kimdura Transfer)

See page BL-26 for information on stock & special thermal label materials available.

Specialty Thermal Labels for the Pharmacy


Stock labels are supplied on 3" cores for Thermal Direct printing. To request labels for Thermal Transfer printing, add the suffix -T to the catalog number. For example: THERM-490R-T.

PERF-CUT THERMAL LABELS




Any stock perf-cut label shown may be ordered with or without corner notches or sensor bars, call Shamrock for information.

PRE-CUT THERMAL LABELS



CONTINUOUS THERMAL ROLLS

Shamrock can supply pressure-sensitive, thermal materials in continuous rolls. Call 800-323-0249 for complete information.




SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM




UNIT DOSE THERMAL LABELS



1-UP LABELS


1" x 1¹¹/₁₆" 3" core, 3,000 per roll
 UD-THERM-S
 1-up, roll form, thermal transfer
 UD-THERM-S-F
 1-up, roll form, thermal transfer, foil backed



2-UP LABELS


1" x 1¹¹/₁₆" 3" core, 6,000 per roll
 UD-THERM
 2-up, thermal transfer
 UD-THERM-F
 2-up, thermal transfer, foil backed

THERMAL LABEL FORMS FOR OUTPATIENT PHARMACY




THERM-DDAFR 8³/₈" x 2³/₄" Thermal Direct

Contact Shamrock for our complete line of stock thermal label forms for outpatient dispensing.




LASCL-S13TL 4" x 8 1/2"
Cerner Etreby




LASCL-S21TL 4" x 8 1/2"
Liberty

Specialty Thermal Labels for Patient Charge Systems

Shamrock offers the stock piggyback patient charge labels shown below for use with your direct thermal printer. Call for information on stock labels suitable for thermal transfer printing or in formats designed to your individual specifications. Stock labels supplied on 3" core.





MSL-10-5 3/4" x 1 3/8"
Orange color bar
(carrier size 7/8" x 1 7/8")
2,000 labels per roll




THERM-PB1419R-2 1/2" x 1 1/2"
Yellow (carrier size 3/4" x 1 3/4")
2,000 labels per roll

THERMAL LABELS
may be tinted in any of the eight standard colors listed on page BL-38.


MSL-X-2 1 5/16" x 1 9/16"
Yellow
(label & carrier same size)
3,000 labels per roll




THERM-PB992R-2 3/4" x 1 3/4"
Yellow (carrier size 7/8" x 1 7/8")
4,000 labels per roll



THERM-PB1148R-7 1" x 2"
Pink (carrier size 1 1/4" x 2 1/4")
1,500 labels per roll



THERM-PB1142R-1 7/8" x 1 7/8"
White (carrier size 1" x 2")
2,000 labels per roll



THERM-PB548R-2 1" x 2"
Yellow (carrier size 1 1/8" x 2 1/4")
2,000 labels per roll



THERM-PB992R-2B 3/4" x 1 3/4"
Yellow color bar (carrier size 7/8" x 1 7/8")
4,000 labels per roll

Specialty Thermal Label Materials

Standard Thermal Label Materials

MATERIAL	DESCRIPTION
Thermal Direct	Permanent adhesive won't stick to gloves. May be applied at 32°F (0°C), holds in temperatures ranging from -65°F to 200°F (-54°C to 93°C).
Thermal Transfer	Bright white in color and smudge resistant. Permanent adhesive won't stick to gloves. May be applied at 32°F (0°C), holds in temperatures ranging from -65°F to 200°F (-54°C to 93°C). Sticks to most surfaces including plastic and curved.
Stock Thermal Labels are supplied on 3" cores for Thermal Direct printing unless otherwise specified. To order stock labels in Thermal Transfer material, please add the suffix "-T" to the catalog number.	

Thermal Label Materials for Special Applications

MATERIAL	DESCRIPTION
Thermal Direct IR Readable	Smudge resistant, perfect for curved and plastic surfaces. Glove free permanent adhesive. May be applied at 32°F (0°C), holds in temperatures ranging from -75°F to 200°F (-60°C to 93°C).
Thermal Direct Piggyback	Holds tightly to a wide variety of surfaces, won't stick to gloves. May be applied at 32°F (0°C), holds in temperatures ranging from -75°F to 200°F (-60°C to 93°C).
Thermal Direct Tight Release	Smudge resistant, ideal for serpentine feed printers. Glove free permanent adhesive. May be applied at 32°F (0°C), holds in temperatures ranging from -75°F to 200°F (-60°C to 93°C).
Thermal Direct Removable	Smudge resistant material. Glove free removable adhesive leaves no residue. May be applied at 32°F (0°C), holds in temperatures ranging from -40°F to 200°F (-40°C to 93°C).
Thermal Direct Kimdura®	Solvent resistant, imprint won't smear or flake. Glove free permanent adhesive. May be applied at 10°F (-12°C), holds in temperatures ranging from -65°F to 300°F (-54°C to 148°C).
Thermal Transfer Piggyback	Bright white, smudge resistant material won't stick to gloves, holds tightly to most surfaces. May be applied at 32°F (0°C), holds in temperatures ranging from -75°F to 200°F (-60°C to 93°C).
Transfer PolyFlex Piggyback	High performance, clear carrier sheet, excellent flexibility. Glove free permanent adhesive. May be applied at 40°F (5°C), holds in temperatures ranging from -40°F to 302°F (-40°C to 150°C).
Transfer Smudgeproof Kimdura® Piggyback	Resists moisture and chemicals. Glove free permanent adhesive. May be applied at -20°F (-29°C), holds in temperatures ranging from -65°F to 200°F (-54°C to 93°C).
Transfer Smudgeproof Kimdura®	Glove free, solvent resistant, aggressive permanent adhesive. May be applied at 10°F (-12°C), holds in temperatures ranging from -65°F to 300°F (-54°C to 148°C).
Thermal Transfer Matte Cold-Stick	Glove free, permanent adhesive. May be applied at -10°F (-23°C), holds in temperatures ranging from -65°F to 200°F (-53°C to 93°C). Good initial adhesion that becomes permanent after 24 hours.
Thermal Transfer Cryo-Stick	Glove free, permanent adhesive for cryogenic testing and storage applications. May be applied at 50°F (10°C), holds in temperatures ranging from -112°F to 176°F (-80°C to 80°C).
Thermal Transfer Liqui-Stick	Glove free, permanent adhesive to withstand liquid nitrogen and dry ice. May be applied at -20°F (-29°C), holds in temperatures ranging from -320°F to 190°F (-196°C to 90°C).

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM

Specialty Ribbons for Thermal Transfer Printers

Shamrock offers a variety of ribbon formulations to best serve your thermal transfer printer, the label stock being printed and the label's application. A selection of ribbons available from Shamrock is listed below. For information on ribbons in other sizes and those compatible with other printers, please call Shamrock at 800-323-0249.

WAX-BASED RIBBONS

- Bar Coded Labels
- Patient Charge Labels

Premium wax-based film, manufactured with strict quality control. Superior back-coating provides effective ribbon flow, reduces printhead wear and ensures high performance on a wide variety of facestocks.

Zebra® Compatible 984' or 300 meters/roll
Compatible with: Zebra 90, 90Xi series, 105, 105SL, 130, 140, 220, 220Xi series.

Catalog No.	Width	Width (mm)	Rolls/ctn
Ribbon-19	3.15"	80.0	6
Ribbon-147	4.17"	106.0	12
Ribbon-59	4.33"	110.0	6

Zebra® Compatible 1,476' or 450 meters/roll

Ribbon-42	3.5"	89.0	6
Ribbon-122	4.17"	106.0	6
Ribbon-105	4.33"	110.0	6

DATAMAX® Compatible 1,181' or 360 meters/roll

Compatible with: Prodigy, Prodigy Plus, Prodigy Max, Allegro, Allegro2, DMX400/430, DMX600, DMX800, XL, Titan 6200, I-Class series, M-Class series and W-Class series.

Ribbon-75	3.5"	89.0	24
Ribbon-36	4.0"	101.6	24
Ribbon-142	4.25"	107.95	6

Intermec® Compatible 509' or 155 meters/roll

Compatible with: Intermec 3400, 3440, 3600 and 8646.

Ribbon-44	4.09"	104.0	6
-----------	-------	-------	---

Intermec® Compatible 1499' or 456 meters/roll

Compatible with: Intermec 3400, 3440, 3600 and 8646.

Ribbon-159	4.09"	110.0	24
------------	-------	-------	----

Also available with plastic core, call for more information.



WAX/RESIN RIBBONS

- Bar Coded Labels
- Extended Use Labels

Wax/resin formulation ribbons are an effective alternative to resin when matched with correct materials and applications. These ribbons provide superior durability when matched with paper facestocks and provide smudge resistance when matched with softer synthetics.

Zebra® Compatible 984' or 300 meters/roll
Compatible with: Zebra 90, 90Xi series, 105, 105SL, 130, 140, 220, 220Xi series.

Catalog No.	Width	Width (mm)	Rolls/ctn
Ribbon-58	2.36"	60.0	6
Ribbon-102	3.27"	83.0	6
Ribbon-97	4.33"	110.0	6

DATAMAX® Compatible 1,181' or 360 meters/roll

Compatible with: Prodigy, Prodigy Plus, Prodigy Max, Allegro, Allegro2, DMX400/430, DMX600, DMX800, XL, Titan 6200, I-Class series, M-Class series and W-Class series.

Ribbon-12	3.0"	76.2	12
Ribbon-120	4.0"	101.6	6
Ribbon-144	4.25"	107.95	6

RESIN RIBBONS

- Extreme Environments
- Asset Labels

Resin ribbons are excellent for printing on polyester, vinyl and other synthetic materials. When matched with the proper facestocks, these ribbons provide superior smudge and smear resistance.

Zebra® Compatible 984' or 300 meters/roll
Compatible with: Zebra 90, 90Xi series, 105, 105Se, 105SL, 130, 140, 143, 220, 220Xi series.

Catalog No.	Width	Width (mm)	Rolls/ctn
Ribbon-21	2.36"	60.0	6
Ribbon-198	3.15"	80.0	24

Zebra® Compatible 1,476' or 450 meters/roll

Ribbon-182	1.57"	40.0	48
Ribbon-196	2"	50.0	36
Ribbon-156	4.33"	110.0	24
Ribbon-167	4.33"	110.0	24

DATAMAX® Compatible 1,181' or 360 meters/roll

Compatible with: Prodigy, Prodigy Plus, Prodigy Max, Allegro, Allegro2, DMX400/430, DMX600, DMX800, XL, Titan 6200, I-Class series, M-Class series and W-Class series.

Ribbon-129	4"	101.6	6
Ribbon-51	4"	101.6	24

Eltron®/Zebra® Compatible 299' or 91 meters/roll

Compatible with: TLP2242, TLP2642, TLP2742, TLP3642, TLP3742, Zebra-T400 and Zebra-T450.

Ribbon-170	2.5"	63.5	48
Ribbon-107	3.29"	83.5	12

Eltron®/Zebra® Compatible 243' or 74 meters/roll

Compatible with: TLP2242, TLP2642, TLP2742, TLP3642, TLP3742, Zebra-T400 and Zebra-T450.

Ribbon-160	4.33"	110.0	36
------------	-------	-------	----

Ribbons are available in additional sizes and for additional printers. Call Shamrock at 800-323-0249.

THERMAL PRINTER CLEAN CARD

Shamrock's CLEAN CARD is saturated with 99.9% isopropyl alcohol to clean your thermal printheads, guide paths and rollers. Regularly scheduled use of printer cleaning cards helps maintain your thermal printer's uninterrupted production of precisely printed labels.


Specialty General Purpose Laser Labels

Shamrock's top quality Laser Labels run trouble free through your laser printer. The stock labels listed below are supplied on 8 1/2" x 11" sheets. Shamrock can customize any 8 1/2" x 11" sheet to contain other label sizes or we can supply your laser labels in other sheet sizes.




GENERAL PURPOSE LASER LABELS

Cat. No.	Label Size	Labels/Sheet	Labels/Carton
MSL-100-FLAT	1" x 2"	44	5,000
MSL-175-FLAT	1 3/4" x 2 3/4"	18	2,500
MSL-275-FLAT	2 3/4" x 4 1/4"	8	1,250
LASER-1	1/2" x 2"	80	5,000
LASER-2	7/8" x 2 5/8"	33	5,000
LASER-3	1" x 2 1/8"	40	5,000
LASER-4	1" x 2 5/8"	30	5,000
LASER-5	1" x 4"	20	2,500
LASER-6	1 7/16" x 4"	14	2,500
LASER-7	2" x 4"	10	2,500
LASER-8	2" x 4 1/4"	10	2,500
LASER-9	2 1/2" x 4"	8	2,500
LASER-10	2 3/4" x 4 1/4"	8	2,500
LASER-11	3 1/3" x 4"	6	500
LASER-12	3 2/3" x 8 1/2"	3	500
LASER-13	5" x 4"	4	500
LASER-14	5 1/2" x 8 1/2"	2	500
LASER-15	11" x 8 1/2"	1	250
LASER-20	1/2" x 1"	160	5,000
LASER-21	1/2" x 1 1/4"	120	5,000
LASER-22	1/2" x 1 3/4"	80	5,000
LASER-23	1 5/16" x 1 5/16"	88	5,000
LASER-24	3/4" x 2 5/8"	42	5,000
LASER-100	1" x 2 5/8"	30	5,000
LASER-100-PERF	1" x 2 5/8"	30	5,000
LASER-101	1/2" x 2"	80	5,000
LASER-104	1/2" x 1 1/2"	100	5,000
LASER-102	1 1/2" x 2"	28	5,000
LASER-103	1 3/4" x 2 3/4"	18	2,500
SPLS-103X	1" x 2 1/2"	30	30,000




MSL-275-FLAT
2 3/4" x 4 1/4"




LASER-5-11
1" x 4" (Rose)




LASER-14
5 1/2" x 8 1/2"




LASER-20-2
1/2" x 1" (Yellow)



LASER-100-PERF
1" x 2 5/8"



LASER-21
1/2" x 1 1/4"



SPLS-103X
1" x 2 1/2"

Holes punched to allow easy inclusion in binders. Call for information on colors available.

STANDARD COLORS FOR SHAMROCK LASER LABEL SHEETS



FLUORESCENT COLORS



To order Blank Laser Labels in color, please add the color number shown to the label's catalog number. For example: LASER-5 in orange would be ordered as LASER-5-5, in fluorescent orange as LASER-5-28.

Shamrock single-ply and piggyback Labels for Laser Printing are available in additional stock sizes. Call 800-323-0249 for complete information.

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104


TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM

Specialty Laser Labels for the Laboratory

LASER LABELS FOR MICROSCOPE SLIDES

Slide labels are available with square corners or round corners on 8½" x 11" sheets. End labels feature square corners only. Labels hold tightly, won't flag or fall off during use or storage.


Slide Labels



SLS-LASER
15/16" x 15/16"
88 labels/sheet

SLS-LASER-RC 15/16" x 15/16"
80 labels/sheet


End Labels



SES-LASER 15/32" x 15/16"
168 labels/sheet

LASER LABELS FOR USE IN UNIQUE CONDITIONS

Smudge resistant, withstand cryogenic temperatures, extreme heat, harsh solvents and steam autoclaves.



LASER-KDS-5125 1/2" x 1 1/4"
120 labels/sheet


LASER-KDS-7515 3/4" x 1 1/2"
70 labels/sheet

All laser labels for the laboratory are available in all colors listed on page BL-28, supplied 5,000 labels per carton.

Specialty Laser Labels for the Pharmacy

LASER LABELS FOR UNIT DOSE

Unit Dose Labels for blister cups are supplied in standard stock or foil backed to provide a moisture barrier. Die cut backing protects meds from label adhesive. Red Dot lifts easily for dispensing. Labels measure 1" x 1 3/4", are supplied 4,000 per carton.




UD-LASER-F-6118
(foil backed)

UD-LASER-6116 (standard)

LASER FORMS FOR OUTPATIENT PHARMACIES


Laser Forms are offered in two styles, one combining pressure-sensitive labels and bond paper, the other a set of labels only. Contact Shamrock for complete information on the wide variety of Laser Forms available.

Laser Label Paper Forms



LASTW-S35 8 1/2" x 11"

Laser Label Forms




LASCL-13 4" x 8 1/2"


Specialty Laser Labels for Patient Charge

LASER PIGGYBACK LABELS

Shamrock offers patient charge labels in 8½" x 11" sheets for laser printing. Labels feature piggyback construction and may be tinted any of the thirteen colors listed below. Supplied 5,000 labels per carton.




MSL-4FLAT-PB-2 5/8" x 1.7"
Yellow (carrier size 1" x 2")



MSL-4MT-PB-5 7/8" x 2"
Orange (carrier size 1" x 2½")

Piggyback Construction


Liner Paper
Carrier Sheet
Label




MSL-4FPB-TAB-11 7/8" x 1 11/16"
Rose (carrier size 1" x 2")

LASER SINGLE-PLY LABELS


Shamrock also offers non-piggyback labels in a wide range of sizes, supplied on 8½" x 11" sheets. Single-ply labels may be ordered in any of the thirteen colors listed below. Call 800-323-0249 for complete information.




LASER-100
1" x 2 5/8" 5,000/ctn




LASER-100-PERF
1" x 2 5/8" 5,000/ctn



MSL-100-FLAT
1" x 2" 5,000/ctn



MSL-175-FLAT
1 3/4" x 2 3/4" 2,500/ctn



MSL-275-FLAT
2 3/4" x 4 1/4" 1,250/ctn

8 STANDARD COLORS



5 FLUORESCENT COLORS



SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM

Specialty Laser Label Materials

STANDARD LASER MATERIALS

Laser General purpose permanent adhesive provides excellent initial adhesion that sticks tightly to most surfaces including plastic, glass and paper. May be applied at 25°F (-4°C), holds in temperatures ranging from -65°F to 200°F (-54°C to 93°C).

LASER MATERIALS FOR SPECIAL APPLICATIONS


Laser Bright White Smudge resistant material features permanent adhesive that sticks tightly to most surfaces, won't flag or fall off plastic, glass or paper. May be applied at 25°F (-4°C), holds in temperatures ranging from -75°F to 200°F (-59°C to 93°C).

Laser Smudgeproof Kimdura® Glove free, solvent resistant, aggressive permanent adhesive. Its surface accepts a clear imprint that won't smear or flake. May be applied at -10°F (-12°C), holds in temperatures ranging from -65°F to 300°F (-54°C to 148°C).

Laser Piggyback Permanent adhesive will adhere to slightly cool, moist glass bottles. After 10 minute set-up time, will withstand immersion in ice water, provide UV and solvent resistance. May be applied at -20°F (-29°C), holds in temperatures ranging from -65°F to 140°F (-54°C to 60°C).

Specialty Labels for Color Enhanced Inkjet Printing

Shamrock can supply pressure-sensitive label materials, pre-cut or in continuous rolls, for Epson® SecurColor™ inkjet printing. Top quality material and adhesive produce attractive prescription labels with crisply legible text as well as precise, easy-to-scan bar codes and color highlights to draw attention to the label's most important information.



Rolls available in printable widths up to 4".
Contact Shamrock for complete information.



INKJET MATERIAL

Inkjet Film Opaque matte white finish film with solvent resistant, pressure-sensitive adhesive that stands up to refrigeration, is particularly suited to pharmacy applications.

Inkjet Matte Paper White, matte finish facestock is highly receptive to inkjet inks, features fast dry time and good water resistance.

Inkjet Gloss Paper High gloss white finish enhances inkjet color printing, provides fast dry time and offers good water resistance.


Specialty Labels for Dot Matrix Printers

Shamrock Pinfed Labels will not jam your dot matrix printer, accept a clear imprint and stick tightly to most surfaces. Labels are fanfolded and supplied in cartons.



Specialty General Purpose Pinfed Labels

BLANK LABELS -- ONE WIDE



Cat. No.	Size	Perf Every	Cat. No.	Size	Perf Every
SNO-12	7/16" x 2 ³ / ₄ "	6"	SNO-44	1 ⁷ / ₁₆ " x 4"	1 ¹ / ₂ "
SNO-13	7/16" x 3 ¹ / ₂ "	6"	SNO-44-R (Removable)	1 ⁷ / ₁₆ " x 4"	1 ¹ / ₂ "
SNO-14	7/16" x 4"	6"	SNO-45	1 ⁷ / ₁₆ " x 5"	1 ¹ / ₂ "
SNO-15	7/16" x 5"	6"	SNO-701	1 ¹ / ₂ " x 3"	1 ³ / ₄ "
SNO-17	7/16" x 7 ³ / ₄ "	6"	SNO-420	1 ¹ / ₁₆ " x 3"	1 ³ / ₄ "
SNO-105	3/4" x 3"	1"	SNO-52	1 ⁵ / ₁₆ " x 2 ³ / ₄ "	2"
SNO-559	3/4" x 4 ¹ / ₂ "	1 ³ / ₁₆ "	SNO-153	1 ⁵ / ₁₆ " x 3"	2"
SNO-110	1 ⁵ / ₁₆ " x 2"	1"	SNO-53	1 ⁵ / ₁₆ " x 3 ¹ / ₂ "	2"
SNO-31	1 ⁵ / ₁₆ " x 2 ¹ / ₂ "	1"	SNO-54	1 ⁵ / ₁₆ " x 4"	2"
SNO-32	1 ⁵ / ₁₆ " x 2 ³ / ₄ "	1"	SNO-55	1 ⁵ / ₁₆ " x 5"	2"
SNO-700	1 ⁵ / ₁₆ " x 3"	1"	SNO-373	2 ⁷ / ₁₆ " x 3"	2 ¹ / ₂ "
SNO-33	1 ⁵ / ₁₆ " x 3 ¹ / ₂ "	1"	SNO-64	2 ⁷ / ₁₆ " x 4"	2 ¹ / ₂ "
SNO-34	1 ⁵ / ₁₆ " x 4"	1"	SNO-175	2 ⁷ / ₁₆ " x 4 ⁵ / ₈ "	2 ¹ / ₂ "
SNO-35	1 ⁵ / ₁₆ " x 5"	1"	SNO-60	2 ¹⁵ / ₁₆ " x 4"	3"
SNO-37	1 ⁵ / ₁₆ " x 7 ³ / ₄ "	1"	SNO-65	2 ¹⁵ / ₁₆ " x 5"	3"
SNO-42	1 ⁷ / ₁₆ " x 2 ³ / ₄ "	1 ¹ / ₂ "	SNO-465	3 ¹ / ₄ " x 1 ¹⁵ / ₁₆ "	3 ¹ / ₂ "
SNO-43	1 ⁷ / ₁₆ " x 3 ¹ / ₂ "	1 ¹ / ₂ "	SNO-193	3 ¹⁵ / ₁₆ " x 6"	4"

BLANK LABELS -- TWO WIDE




BLANK LABELS -- THREE WIDE



BLANK LABELS -- FOUR WIDE



BLANK LABELS -- FIVE WIDE



FILE FOLDER LABELS

Cat. No.	Size	Perf Every
SNO-13FF	5/8" x 3 ¹ / ₂ "	6"

Available in white, yellow, green, red, orange, blue, pink, violet, brown and black.



SNO-13FF-3

Cat. No.	Size	Perf Every
----------	------	------------

TWO WIDE

SNO-443	1 ⁵ / ₁₆ " x 1 ⁵ / ₁₆ "	1"
SNO-33-2	1 ⁵ / ₁₆ " x 3 ¹ / ₂ "	6"
SNO-34-2	1 ⁵ / ₁₆ " x 4"	6"
SNO-335	1 ⁷ / ₁₆ " x 3"	1 ¹ / ₂ "
SNO-44-2	1 ⁷ / ₁₆ " x 4"	6"
SNO-305	1 ¹⁵ / ₁₆ " x 3"	2"

THREE WIDE

SNO-13-3	7/16" x 3 ¹ / ₂ "	6"
SNO-505	1 ⁵ / ₁₆ " x 1 ⁵ / ₁₆ "	1"
SNO-256	1 ⁵ / ₁₆ " x 2"	1"
SNO-31-3	1 ⁵ / ₁₆ " x 2 ¹ / ₂ "	1"
SNO-33-3	1 ⁵ / ₁₆ " x 3 ¹ / ₂ "	6"
SNO-34-3	1 ⁵ / ₁₆ " x 4"	6"
SNO-43-3	1 ⁷ / ₁₆ " x 3 ¹ / ₂ "	6"
SNO-44-3	1 ⁷ / ₁₆ " x 4"	6"
SNO-54-3	1 ¹⁵ / ₁₆ " x 4"	6"

FOUR WIDE

SNO-138	7/16" x 1 ³ / ₄ "	1 ¹ / ₂ "
SNO-12-4	7/16" x 2 ³ / ₄ "	6"
SNO-31-4	1 ⁵ / ₁₆ " x 2 ¹ / ₂ "	6"
SNO-32-4	1 ⁵ / ₁₆ " x 2 ³ / ₄ "	6"
SNO-329-4	1 ⁵ / ₁₆ " x 2 ⁹ / ₁₀ "	6"
SNO-330-4	1 ⁵ / ₁₆ " x 3"	6"
SNO-332-4	1 ⁵ / ₁₆ " x 3 ¹ / ₅ "	6"
SNO-333-4	1 ⁵ / ₁₆ " x 3 ³ / ₁₀ "	6"
SNO-33-4	1 ⁵ / ₁₆ " x 3 ¹ / ₂ "	6"

FIVE WIDE

SNO-137	7/16" x 1 ¹ / ₂ "	1 ¹ / ₂ "
SNO-101-5	7/16" x 1"	1 ¹ / ₂ "
SNO-229	1 ⁵ / ₁₆ " x 1 ¹ / ₂ "	1"
SNO-31-5	1 ⁵ / ₁₆ " x 2 ¹ / ₂ "	1"


SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM




Specialty Pinfed Labels for Laboratory Software


LABORATORY PINFED




Specialty Pinfed Labels for Laboratory Software




BDP-165 2³/₈" x 5³/₈"




BDP-302 2⁷/₈" x 5¹⁵/₁₆"




BDP-383 5¹⁵/₁₆" x 3"



BDP-501 3³/₄" x 6¹³/₁₆"










BDP-518 5¹⁵/₁₆" x 5"




BDP-504 8" x 6⁹/₁₆"

SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104







TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM



Specialty Pinfed Labels for Laboratory Software



Stock labels are white. Color may be added to your specifications.



SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM



Specialty Pinfed Labels for the Pharmacy

PINFED LABELS FOR PHARMACY SOFTWARE

ASHP-2 1/2" x 2 1/2"
■ ASHP

BDP-115 1" x 3 3/4"
■ McKesson Horizon

BDP-105 1" x 3 1/2" (White) ■ Pharmakon
BDP-105-2 1" x 3 1/2" (Yellow)

BDP-164 2 3/8" x 3 3/4" ■ Mediware
BDP-164-F 2 3/8" x 3 3/4" (Flexible)

ASHP-6 2 15/16" x 4 1/4"
■ ASHP

BDP-A-300 2 15/16" x 3"

SNO-64 2 7/16" x 4" (White)
SNO-64-F 2 7/16" x 4" (White Flexible)
SNO-64-2 2 7/16" x 4" (Yellow)
SNO-64-2-F 2 7/16" x 4" (Yellow Flexible)

SNO-60 2 15/16" x 4" (White)
SNO-60-F 2 15/16" x 4" (White Flexible)
SNO-60-2 2 15/16" x 4" (Yellow)
SNO-60-2-F 2 15/16" x 4" (Yellow Flexible)

BDP-TR-310 4 15/16" x 5"

BDP-205 2 15/16" x 4" (White)
BDP-205-2 2 15/16" x 4" (Yellow)
■ Dynamic Control ■ McKesson Horizon

■ Software

PINFED UNIT DOSE LABELS

Specialty Unit Dose Labels are specifically designed to fit the blister cup, supplied in standard matte finish stock or in foil backed matte finish stock to provide a moisture barrier. Perforations between labels allow easy dispensing. Die cut backing prevents medication contact with the label's adhesive. Unit Dose Labels measure 1" x 1 11/16".

UD-8010PF-S (1-up, fan folded) 5,000/ctn
UD-8010PF-S-F (1-up, fan folded, foil backed)

UD-8010PFR-S (1-up, roll form) 1,000/roll
UD-8010PFR-S-F (1-up, roll form, foil backed)

UD-8010PF (2-up, fan folded) 10,000/ctn
UD-8010PF-F (2-up, fan folded, foil backed)








UD-8010PFR (2-up, roll form) 2,000/roll
UD-8010PFR-F (2-up, roll form, foil backed)

Specialty Pinfed Labels for Patient Charge

PIGGYBACK PATIENT CHARGE LABELS

Shamrock offers a variety of piggyback labels for today's most popular patient charge systems. Designed to run trouble free through your dot matrix printer, their piggyback construction and pressure-sensitive adhesive carry them, without flagging or falling off, from charge ticket to charge card.

PIGGYBACK CONSTRUCTION



PLEASE NOTE

MSL-2PF, MSL-3PF, MSL-4PF, and MSL-5PF are supplied on standard piggyback label stock or on a flexible piggyback stock that can decrease the danger of labels popping off in the problem printer. Please specify when ordering.





8 STANDARD COLORS

All Specialty Piggyback Patient Charge Labels are available in 8 standard colors. Please indicate color desired by placing the color number after the catalog number.

1 White	5 Orange
2 Yellow	6 Blue
3 Green	7 Pink
4 Red	11 Rose

SINGLE PLY PATIENT CHARGE LABELS

These Three-Part Pinfed Labels have two perforations through the face and backing to insure easy separation of the three sections. Space is provided on two sections of the labels to record the charge item's code number. One section also accommodates the patient's name and room number.



SHAMROCK LABELS 34 DAVIS DRIVE, BELLWOOD, ILLINOIS 60104

TOLL FREE: 1-800-323-0249 FAX: 1-800-248-1907 EMAIL: SALES@SHAMROCKLABELS.COM SHOP ONLINE: SHAMROCKLABELS.COM

Specialty Dot Matrix Label Materials

STANDARD DOT MATRIX MATERIALS

EDP Permanent Permanent adhesive offers high initial tack and ultimate adhesion on most surfaces, will not flag or fall off curved surfaces down to 1/2" diameter. Will hold in temperatures ranging from -65°F to 220°F (-54°C to 104°C).

DOT MATRIX MATERIALS FOR SPECIAL APPLICATIONS

EDP Removable General purpose removable adhesive provides a good initial tack and is easily removed on most surfaces including plastic and glass. May be applied at 40°F (4°C), holds in temperatures ranging from 0°F to 120°F (-18°C to 49°C).

Pliaprint General purpose permanent adhesive features high initial tack and ultimate adhesion. Excellent for labeling small containers, irregular and curved surfaces. May be applied at 40°F (4°C), holds in temperatures ranging from -65°F to 160°F (-54°C to 71°C).

Dupli-Copy Everything printed on label automatically copies onto the label's liner paper. Strong permanent adhesive is solvent resistant. May be applied at 35°F (1°C), holds in temperatures ranging from -65°F to 200°F (-54°C to 93°C).


Twin Stock Two matte finish labels in one. Printing on top label copies onto an underlying, second label. Permanent adhesive holds label firmly in place. May be applied at 25°F (-4°C), holds in temperatures ranging from -75°F to 200°F (-60°C to 93°C).

Specialty Labels for Every Printer, All Software


Shamrock can supply labels blank or individualized to meet your special requirements, die cut to exactly match your software, on materials specific to your thermal, laser, inkjet or dot matrix printer.




LASER



DOT MATRIX



THERMAL



If you don't see the label form combination needed for your software, contact Shamrock at 800-323-0249. We offer stock and custom materials plus design assistance to meet your individual labeling requirements.

Terms and Conditions of Sale

All prices subject to change without notice.

A \$25.00 minimum order is required.

Prices are F.O.B. Bellwood, Illinois, unless otherwise specified. Foreign import duties and exchange rates, if any, are additional.

Terms: Net 30 days.

RETURN POLICY

No returns will be accepted without prior authorization. Shamrock's numbered return authorization form must accompany all merchandise returned.

Defective Merchandise: Should any Shamrock product prove to be defective, a claim for return must be placed within 60 days of shipment. Products shown to be defective and returned within this period will be replaced.

Stock Items: No return of stock items will be accepted after six months. A 5% restocking charge is imposed on return of all stock items.

Custom Items: Custom orders may not be returned.

QUANTITIES

Over runs or under runs, not to exceed 10% of quantities ordered, will constitute acceptable delivery.

PLATE CHARGES

Due to natural deterioration of printing plates, and in order to provide only top-quality products, Shamrock must remake its plates every three years. If an order is not placed within that time, a new plate charge must be made upon receipt of the next order.



1011



shamrock
labels

SHAMROCK LABELS

34 Davis Drive, Bellwood, Illinois 60104

National Toll Free: 800-323-0249

California Toll Free: 877-461-6908

Fax Toll Free: 800-248-1907

Email: sales@shamrocklabels.com

Shop Online: shamrocklabels.com